

Abstract Number: **869-M633-02518**

(Page 1 of 5)

Abstract Date: **April 27, 1999**

Product Name: **COMSPHERE 6700  
Application Software**

Release Version Number: **5.0.3**

Part Number: **869-3114-0211**

Feature Number: **6700-D5-001,  
6700-D5-002,  
6700-D5-003,  
6700-D5-004,  
6700-D5-009**

## GENERAL DESCRIPTION OF THIS RELEASE

This PTF release applies all QR problems reported from release 5.0.0.

## HOW TO INSTALL

Using the **RUN** function available within the Program Manager File menu item, Type **A:INSTALL** and press OK. Additional information can be found in Chapter 2 of the COMSPHERE 6700 Series NMS User's Guide (6700-A3-GY31-50).

### Software Prerequisites

COMSPHERE 6700 NMS Release 5.0.0

### Software Corequisites

None.

### Software Environment

See Release 5.0.0 requirements.

### Hardware and Firmware Environment

See Release 5.0.0 requirements.

### Modules Included

See PACKING.LST within the INSTALL directory..

### Media Verification/Checksums

None.

### Special Instructions

None.

## Installation Procedures

See *COMSPHERE 6700 Series NMS User Guide* (6700-A3-GY31-50). Follow the procedure in Chapter 2.

## NEW IN THIS RELEASE

### Purpose of this Release

The purpose of this release is to apply software fixes that were reported from the previous release.

### New Features

None.

### Known Problems

None.

### QRs/MRs Closed

The following QRs are fixed in this release.

#### PTF 5.0.2.

AR Number	Problem	Resolution
5832	6700 Dial Utilization incorrect	Corrected math error.
6066	Daily Historical Utilization Chart problem.	Corrected math error.
6220	Seven Eleven Thailand Graphs appear to be wrong.	Change module to use all double words when computing.
6450	Some area codes will not place devices an the world map	Added new function that allos the user to maintain the mapping coordinates.
6451	Dial utilization snapshot show connect when no call connected	Corrected math error.
7230	Hydro: 6700 broadcast download fails on the 3921 modem	Removed unresponsive devices from selection list.

#### PTF 5.0.3.

AR Number	Problem	Resolution
5167	Broadcast download fails w/6700 nms	Download task changed to handle BIC correctly
5998	Tribs hang up after a failed TMP clone attempt	Corrected download clone
6444	When manually closing a distributive cabinet, it is still flagg	The last entry in the startup section started the distrivtive open and in should not be running on the client.
7009	Printing Call Statistics Detail Display	Changed Stats.dll to read the entire file instead of just the first 1024 bytes
7361	Problem when deleting facility	Forced a selection in the listbox whenever the focus changes
8584	Error msg title UI.	Corrected selecting facility when the name is typed and not selected from the drop down list.

<b>8589</b>	Carrier Slot# designation allows duplicates	Corrected a validation problem when moving an existing device from one slot to another
<b>8743</b>	Alert control –Model menu non--operational	The initialization was moved to a loop with a correct maximum value
<b>8885</b>	6700 NMS 5.0.2 (2000 year incompatibility)	Corrected by displaying the full 4 digits of the year at every occurrence
<b>8899</b>	Year 2000 problem	Method for determining leap years during input validation was corrected
<b>9062</b>	Alert history reports by "Hunt group" not functioning	The program was corrected to obtain the device names in the hunt groups and compare them to the alert list
<b>9092</b>	Loose communication with Trib (change from inventory to active)	Enabled dialog box to refuse to activate trib before control.
<b>9526</b>	Unable to update map coordinates to update database	Recompiled COMPLDB and added correct dialog to maps

**PTFs Incorporated**

None.

**New Modules**

None.

**New Files/Procedures Created**

None.

**Product History**

5.0.2 December 31, 1998

5.0.1 July 31, 1997

5.0.0 June 13, 1997

**Software Replaced**

None.

**Product Documentation on the World Wide Web**

We provide complete product documentation online. This lets you search the documentation for specific topics and print only what you need, reducing the waste of surplus printing. It also helps us maintain competitive prices for our products. Complete documentation for this product is available at [www.paradyne.com](http://www.paradyne.com).

Select Library->Technical Manuals->Network Management Solutions

Select one of the following documents:

6700-A2-GB20 COMSPHERE 6700 Series NMS SNMP Proxy Agent Feature User's Guide

6700-A2-GB21 COMSPHERE 6700 Series NMS Multiuser Feature User's Guide

6700-A2-GB22 COMSPHERE 6700 Series NMS Network Configuration Guide

6700-A2-GB23 COMSPHERE 6700 Series NMS Remote Monitor Feature User's Guide

6700-A2-GB41 COMSPHERE 6700 Series NMS Security Manager Feature Supplement

6700-A2-GY31 COMSPHERE 6700 Series NMS User's Guide

Within the U.S.A., call 1-800-PARADYNE (1-800-727-2396)

Abstract Number: **869-M633-02518**

(Page 4 of 5)

Outside the U.S.A., call 1-727-530-8623

### **Warranty, Sales, Service, and Training Information**

Contact your local sales representative, service representative, or distributor directly for any help needed. For additional information concerning warranty, sales, service, repair, installation, documentation, training, distributor locations, or Paradyne worldwide office locations, use one of the following methods:

Internet: Visit the Paradyne World Wide Web site at [www.paradyne.com](http://www.paradyne.com).

(Be sure to register your warranty there. Select Service & Support -> Warranty Registration.)

Telephone: Call our automated system to receive current information by fax or to speak with a company representative.

Within the U.S.A., call 1-800-870-2221

Outside the U.S.A., call 1-727-530-2340

### **Copyright/Trademarks**

Copyright © 1999 Paradyne Corporation. All rights reserved.

Copyright © 1981 Microsoft Corporation. All rights reserved.

Abstract Number: **869-M633-02518**

(Page 5 of 5)

## SOFTWARE MEDIA DESCRIPTION

The COMSPHERE 6700 Application Software PTF consist of two (2) 3.5 installation diskettes which are labeled as "COMSPHERE 6700 Application Software" along with the PTF release number. In the event a 3.5" diskette is unavailable, the 3.5" diskettes can be copied to a 5.25" diskette with no impact on the installation procedures. The 3.5 diskette used in the installation of the COMSPHERE 6700 Series NMS is formatted as 1.44 MB doubled-sided, high-density, write-protected, with nine sectors per track, 80 tracks per side and 135 tracks per inch. The diskette is in DOS format.

COMSPHERE 6700 Application Software

6700-D5-001, 6700-D5-002,

6700-D5-003, 6700-D5-004,

6700-D5-009

869-3114-0211

869-M633-0604

Rel 5.0.3

Vol 1 of 1

SERIAL #N/A

Copyright © 1999 Paradyne Corporation

### Number of Media

1

### HELP

Technical Contact: call (800) 795-8004 or (727) 532-5000.